

3 CORE FLAT PVC INSULATED

SUBMERSIBLE CABLES

FIELDS FULL OF HARVEST, HOMES FULL OF HAPPINESS





APAR MANUFACTURERS AND MARKETS THE MOST COMPREHENSIVE RANGE OF CABLES IN INDIA.

APAR 3 Core Flat Submersible Pump cables are insulated with specially formulated in-house PVC compound for Insulation and sheath to make them suitable for Submersible Pump Motor application. The outer sheath is made of a special formulation of high abrasion-resistant PVC, resistant to grease, oil and water. These cables have excellent mechanical and electrical properties.

The insulation of these submersible cables offers good submersible properties even when submerged in water. APAR 3 Core Flat Submersible Pump cables are resistant to abrasion, moisture, oil, better flexibility, life span & excellent mechanical & electrical properties. Used in underground, under-water, muddy, or on wet surface and generally suitable for the maximum operating temperature of 70°C





OUR 3 CORE FLAT SUBMERSIBLE CABLE RANGE:


Nominal Area Conduc- tor(In Sq. mm)	Current carrying capacity 2 cables, single phase APAR PVC insulated Flat Cables
SQ MM	AMPS
1.5	14
2.5	18
4	26
6	31
10	42
16	57
25	72
35	90
50	115

THE APAR ADVANTAGE

- IS: 694 and other International specifications
- Maximum operating temperature up to 70°C
- High operating life of the cables
- Increased flexibility
- Specially in-house formulated PVC compound
 - * Also available in XLPE and Rubber insulation
 - * Also available with aluminium flexible conductor







Contact us : ldc.sales@apar.com | +91 9619153413 Learn more: APAR Light duty cables









