




HAVELLS

Let's *Rethink* COOLING

Havells Smart Air Coolers
with *Breatheezee*TM
Technology



Scan the QR code to explore
our complete range



Hello Everyone!
I am Mr. COOL and
I have the COOLEST job
in the world - to think
about innovations in
air coolers.

Let's
REthink
COOLING





Havells is known for high quality products & premium manufacturing infrastructure. Their philosophy of providing high quality products to their consumers can be seen across their wide product portfolio that includes fans, lighting, switchgear, motors, capacitors, switches, wires & cables etc.

Innovation and quality are the prime objectives at Havells and owing to that, every product we make is designed to meet the latest and most demanding customer needs.

Taking the culture of product perfection to consumer needs, Havells is proud to introduce the innovative range of Air Coolers.

HAVELLS PRESENTS WIDE RANGE OF AIR COOLERS

**“SMART AIR COOLERS
FOR SMART HOMES”**



PRESENTING THE INNOVATIVE RANGE OF AIR COOLERS FROM HAVELLS



RETHINK HEALTH RETHINK PERFORMANCE RETHINK COMFORT



SMART COOLERS FOR SMART HOMES

Being a pioneer in product innovation, Havells wants to be at the forefront of technological advancement.

The new range of Smart Coolers that combines efficiency, convenience and safety, brings us one step closer towards achieving this goal.



AUTO DRAIN

Auto Drain is a convenient way to drain the water from the tank. The water neatly drains out and can be collected in a bucket, preventing spillage.



CONTROL PANEL

Temperature display indicates air temperature at Air Cooler grill.



HUMIDITY CONTROL

Humidity Control for best cooling results during rainy / humid weather. The user can easily control the volume of water falling on honeycomb pads.



HONEYCOMB PADS

3 Side Honeycomb Cooling Pads are specially processed anti-bacterial, anti-erosion, anti-deformation with hydrophilic property; they absorb remainder dust particles and cleanse air thoroughly. These are odour free, low maintenance and long life cooling pads.



COMPLETELY COLLAPSIBLE LOUVERS

Completely Collapsible Louvers to prevent dust/ insects entering the Air Cooler.



DUST FILTER NET

3 Side Dust Filter nets to separate dust from air ensuring dust free air gets washed through wet honeycomb pads. Air becomes cool & clean. Dust filter net also prevents insects from entering air cooler.

WATER TANK COVER INLET NET


CASTORS WITH LOCK (Lock with Front Wheels)

WATER TANK COVER

Water Tank Cover is specially designed to prevent mosquitoes from entering / breeding in water tank. Water inlet net of cover separates suspended dust particles in water. This can be cleaned periodically.



EARTHING CORE RESISTANCE



CORD WINDING STATION



LOW NOISE

Desert Coolers



Havells Desert Coolers make an ideal choice for large spaces. Freddo, our flagship series of desert coolers, utilises the Breatheezee Technology™ to offer cleaner, healthier, and most importantly, breathable air to the users.

IDEAL FOR



Living Room



Restaurant



Party Hall



Outdoors



Big Office













Gym

Freddo



Freddo-i



 Large Tank Capacity: 70 L	 Air Delivery: 3500 m ³ /h	 4 Leaf Metal Blade	 3 Side Honeycomb Pads	 Dust Filter Nets	 Bacteria Shield™ Honeycomb Pad Technology
 Auto Drain	 Water Tank Cover	 Completely Collapsible Louvers	 Ice Chamber	 Inverter Compatible	

4 Leaf Aluminium Blades for Powerful Air flow | Thermal Overload Protection (Pump/Motor) | Humidity Control | Ice Chamber | Front Castors with brakes to avoid undesired mobility | Cord Winding Station | 3 Speed Settings | Auto Swing | Water Level Indicator | 3 Core 3 Pin Power Cord
Freddo-i : Electronic Panel | Temperature Display (At Grill) | Low Water Alarm | Full Function Remote | Timer (1 h to 7 h) | Dry Run Protection (Pump) | Night mode display off function

Celia

Celia-i











Kool Grande-h

Kool Grande-i

Kool Grande 65



 Large Tank capacity: 55 L	 Air Delivery: 3500 m ³ /h	 Completely Collapsible Louvers	 4 Leaf Metal Blade
 Ice Chamber	 3 Side Honeycomb Pads	 Thermal Overload Protection	 Inverter Compatible



 Large Tank Capacity: 85 L / 65 L	 Air Delivery: 3500 m ³ /h	 Ice Chamber	 3 Speed Setting
 3 Side Honeycomb Pads	 Multi Directional Castors (Front Castors with Brakes)	 Bed Height Fan Position	 Inverter Compatible









4 Leaf Aluminium Blades for Powerful Air flow | Thermal Overload Protection (Pump/Motor) |
Front Castors with brakes to avoid undesired mobility | Cord Winding Station |
3 Speed Settings | Auto Swing | Water Level Indicator | 3 Core 3 Pin Power Cord

Celia-i : Electronic Panel | Full Function Remote | Timer (1 h to 7 h) | Night mode display off function

Auto Swing | Water level Indicator | Thermal Overload Protection (Pump/Motor) |
3 Core 3 Pin Power Cord.

KoolGrande-i : Electronic Panel | Full Function Remote | Low Water Alarm | Timer (1 h to 7 h) |
Night mode display off function | Dry Run Protection (Pump)








 Large Tank Capacity: 95 L / 75 L	 Air Delivery: 3600 m³/h
 3 Side Chill Drip Technology	 XXL Ice Chamber
 3 Side Honeycomb Pads	 Bed Height Fan Position
 Multi Directional Castors (Front Castors with Brakes)	 Thermal Overload Protection



Ergonomic 2 Knob Control Function | Front Castors with Brakes to avoid undesired mobility | Thermal Overload Protection (Pump/ Motor) | 4 Ways Air Deflection | Rust Free Body



 Large Tank Capacity: 51 L	 Air Delivery: 3200 m³/h
 3 Side Cooling Pads*	 5 Leaf Metal Blade
 Bed Height Fan Position	 3 Speed Setting
 Auto Swing	 Inverter Compatible



*Koolaire : Honeycomb Pads
*Koolaire-w : Woodwool Pads

5 Leaf Aluminium Blades for Powerful Air flow | Thermal Overload Protection (Pump/Motor) | Front Castors with brakes to avoid undesired mobility | Cord Winding Station | Water Level Indicator | 3 Core 3 Pin Power Cord











 Large Tank Capacity: 70 L	 Air Delivery: 3500 m³/h
 3 Side Honeycomb Pads	 Multi Directional Castors (Front Castors with Brakes)
 Ice Chamber	 Bed Height Fan Position
 Thermal Overload Protection	 Inverter Compatible



Thermal Overload Protection (Pump/Motor) | Cord Winding Station | Water level Indicator | 3 Core 3 Pin Power Cord | Auto Swing | 3 Speed Setting
Altima-i : Electronic Panel | Full Function Remote | Low Water Alarm | Timer (1 h to 7 h) | Night mode display off function | Dry Run Protection (Pump)



 Large Tank Capacity: 75 L / 55 L	 Air Delivery: 4000 m³/h
 3 Side Woodwool Pads	 3 Leaf Metal Blade
 Thermal Overload Protection	 Wide Air Spread
 Low Noise	 Inverter Compatible

3 Leaf Aluminium Blades for Powerful Air flow | 2 Control Knobs | 3 Speed Setting | Auto swing | Water Level Indicator | 3 Core 3 Pin Power Cord

Personal Coolers



Ideal for indoor & personal spaces, Havells range of Personal Coolers is a comforting solution for scorching summers. These Personal Coolers are aesthetically designed to harmonise well with your interiors.

IDEAL FOR



Bedroom



Study Room



Small Office



Small Shop



Dining Area



Tank Capacity: 32 L	Air Delivery: 1500 m ³ /h	Honeycomb Pad	Auto Drain	Completely Collapsible Louvers	
Dust Filter Net	Water Tank Cover	Ice Chamber	Inverter Compatible	Auto Swing	

Humidity Control | Thermal Overload Protection (Pump/Motor) | Front Castors with brakes to avoid undesired mobility | Cord Winding station | Water Level Indicator | 3 Speed Settings | 3 Core 3 Pin Power Cord
Fresco-i 32 : Electronic Panel | Temperature Display (At Grill) | Low Water Alarm | Full Function Remote | Timer (1 h to 7 h) | Dry Run Protection (Pump) | Night mode display off function

Celia-P



Tank Capacity: 28 L	Air Delivery: 1200 m ³ /h	Honeycomb Pad	Dust Filter Net
Completely Collapsible Louvers	Multi-Direction Castors	Ice Chamber	Inverter Compatible



Auto Swing | Thermal Overload Protection (Pump/Motor) | Water Level Indicator | 3 Speed Settings | 3 Core 3 Pin Power Cord

KALT



Tank Capacity: 24 L	Air Delivery: 800 m ³ /h
Aerodynamically Designed Blades	3 Side Honeycomb Pads
Multi-Direction Castors	Auto Swing
3 Speed Setting	Water Level Indicator



Ergonomic 2 Knob Control Function | 4 Ways Air Deflection | Rust Free Body | Low Noise Operation

TUONO 22 TUONO-i TUONO



Tank Capacity: 22 L / 18 L	Air Delivery: 1200 m ³ /h
Honeycomb Pad	Dust Filter Net
Ice Chamber	Multi-Direction Castors
Auto Swing	Inverter Compatible



Thermal Overload Protection (Pump/Motor) | Water Level Indicator | 3 Speed Setting | 4 Way Air-Deflection | 3 Core 3 Pin Power Cord
Tuono i : Electronic Panel | Low Water Alarm | Full Function Remote | Timer (1h to 7h) | Dry Run Protection (Pump) | Night mode display off function

Tower Coolers



Elegant and attractive Tower Cooler from Havells uplifts room décor with minimal floor space utilization. Equipped with varied Tank size capacities are capable of throwing air at higher point with powerful Air-Delivery for cooling large spaces.

IDEAL FOR



Living Room



Bedroom



Kids Room



Study Room



Dining Area













 Tank Capacity: 25 L/35 L/55 L	 Easy Operation With Remote And Electronic Panel	 Honeycomb Pad	 Dust Filter Net
 Air Delivery: 1250 m ³ /h	 Ionizer & Dust Filter For Air Cleaning	 Low Water Alarm	 Combi Speed Mode



Electronic Panel | Full Function Remote | Powerful Blower | Thermal Overload Protection (Pump/Motor) | Timer | Water Level Indicator | Dry Run Protection (Pump) | Auto Swing | Cord Winding station at Rear | Inverter Compatible



 Tank Capacity: 20 L / 30 L / 50 L	 Air Delivery: 1200 m ³ /h	 Honeycomb Pad	 Dust Filter Net	 Ice Chamber
 Completely Collapsible Louvers	 Wide Air Speed	 Ionizer & Dust Filter For Air Cleaning (with Alitura-i)	 Combi Speed Mode (with Alitura-i)	 Inverter Compatible



Thermal Overload Protection (Pump/Motor) | Water Level Indicator | 3 Speed Settings |
 Auto Swing | 3 Core 3 Pin Power Cord
Alitura-i : Electronic Panel | Full Function Remote | Low Water Alarm | Timer (1 h to 7 h) |
 Ionizer | Combi Speed Mode | Dry run protection (Pump)

Pictures in this document may slightly vary from the actual product.

Window Coolers



Havells Window Coolers come equipped with the latest technology and innovative features. With an amazing air delivery and low noise, these window coolers offer a nice ambience to sit back and relax.

- IDEAL FOR
- Kids Room
 - Living Room
 - Small Office
 - Bedroom
 - Study Room



Large Tank Capacity: 50 L	Air Delivery: 2000 m ³ /h	Completely Collapsible Louvers	Ice Chamber	Dust Filter Nets (with Brina Plus)
Auto Drain (with Brina Plus)	With Trolley (optional)	3 Speed Setting	Inverter Compatible	Breatheezee™ Technology (with Brina Plus)

Wood Wool Cooling Pads (with Mosquito Net) | Thermal Overload Protection (Pump/Motor) | Water Level Indicator | 3 Speed Settings | Auto Swing | 3 Core 3 Pin Power Cord
Brina Plus : Humidity Control | Dust Filter Net | Auto Drain



Large Tank Capacity: 45 L	Air Delivery: 1500 m ³ /h
Ice Chamber	With Trolley (optional)
Auto Swing	Inverter Compatible

Wood Wool Cooling Pads (with Mosquito Net) | Thermal Overload Protection (Pump/Motor) | Water Level Indicator | 3 Speed Settings | 3 Core 3 Pin Power Cord

DESERT COOLERS															
Feature Type	Feature	Kace 95	Koolgrande-i	Koolgrande-h	Kace 75	Supro 75	Freddo-i	Freddo	Altima-i	Altima	KoolGrande 65	Celia-i	Celia	Supro 55	Koolaire / Koolaire-w*
Technical	Tank Capacity (L)	95 L	85 L	85 L	75 L	75 L	70 L	70 L	70 L	70 L	65 L	55 L	55 L	55 L	51 L
	Rated Power (W)	190 W	185 W	185 W	190 W	160 W	185 W	185 W	185 W	185 W	185 W	185 W	185 W	160 W	185 W
	Fan / Blower	5 Leaf Plastic Blades	5 Leaf Plastic Blades	5 Leaf Plastic Blades	5 Leaf Plastic Blades	3 Leaf Alu. Blades	4 Leaf Alu. Blades	4 Leaf Alu. Blades	5 Leaf Plastic Blades	5 Leaf Plastic Blades	5 Leaf Plastic Blades	4 Leaf Alu. Blades	4 Leaf Alu. Blades	3 Leaf Alu. Blades	5 Leaf Alu Blades
	Fan / Blower Size (mm)	406.4 mm	406.4 mm	406.4 mm	406.4 mm	457.0 mm	406.4 mm	406.4 mm	406.4 mm	406.4 mm	406.4 mm	406.4 mm	406.4 mm	457 mm	406.4 mm
	Fan / Blower motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor
	Rated Voltage	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V
Efficiency	Air Delivery (m³/h)	3600 m³/h	3500 m³/h	3500 m³/h	3600 m³/h	4000 m³/h	3500 m³/h	3500 m³/h	3500 m³/h	3500 m³/h	3500 m³/h	3500 m³/h	3500 m³/h	4000 m³/h	3200 m³/h
	Cooling Capacity - Rooms upto (m²)	129 m²	116 m²	116 m²	129 m²	133 m²	116 m²	116 m²	116 m²	116 m²	116 m²	116 m²	116 m²	133 m²	114 m²
	Room Size (m²)	42 m²	38 m²	38 m²	42 m²	44 m²	38 m²	38 m²	38 m²	38 m²	38 m²	38 m²	38 m²	44 m²	35 m²
	Cooling Media	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Woodwool	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Honeycomb	3 Side Woodwool	3 Side Honeycomb/ *Woodwool
	Bacteria Shield (Honeycomb pad Technology)	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
	Speed Setting	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Auto Swing	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Ice Chamber	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Ice Bag	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes
	Humidity Control	No	No	No	No	No	Yes	Yes	No	No	No	No	No	No	No
	Air Deflection	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way
Convenience	Control Panel	2 Knob Panel	Electronic Panel	2 Knob Panel	2 Knob Panel	2 Knob Panel	Electronic Panel	3 Knob Panel	Electronic Panel	3 Knob Panel	2 Knob Panel	Electronic Panel	3 Knob Panel	2 Knob Panel	2 Knob Panel
	Temperature Display (At Grill)	No	No	No	No	No	Yes	No	No	No	No	No	No	No	No
	Auto Drain	No	No	No	No	No	Yes	Yes	No	No	No	No	No	No	No
	Fully Collapsible Louvers	No	No	No	No	No	Yes	Yes	No	No	No	Yes	Yes	No	No
	Cord winding station at Rear	No	No	No	No	No	Yes	Yes	Yes	Yes	No	Yes	Yes	No	Yes
	Tank Cover	No	No	No	No	No	Yes	Yes	No	No	No	No	No	No	No
	Dust Filter Net	No	No	No	No	No	Yes	Yes	No	No	No	No	No	No	No
	Timer	No	Yes	No	No	No	Yes	No	Yes	No	No	Yes	No	No	No
	Low Water Alarm	No	Yes	No	No	No	Yes	No	Yes	No	No	No	No	No	No
	Auto Display Off Function (Remote)	No	Yes	No	No	No	Yes	No	Yes	No	No	Yes	No	No	No
	Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Remote	No	Yes	No	No	No	Yes	No	Yes	No	No	Yes	No	No	No
	Combi Mode	No	No	No	No	No	No	No	No	No	No	No	No	No	No
	Ionizer	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Safety	Thermal Overload Protection (Pump/Motor)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Multi directional-Castor Wheels with brakes	Yes	Yes	Yes	Yes	Castors w/o Brakes with Trolley	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Castors w/o Brakes with Trolley	Yes
	Dry Run Protection (Pump)	No	Yes	No	No	No	Yes	No	Yes	No	No	No	No	No	No
	Power Cord	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin
Measurement	Product Size (cm) L x W x H	(63.9 x 44.9 x 128.8) cm	(62 x 48.5 x 125.5) cm	(62 x 48.5 x 125.5) cm	(63.9 x 44.9 x 123.8) cm	(67.5 x 63.4 x 86.2) cm	(66 x 49.7 x 117) cm	(66 x 49.7 x 117) cm	(67 x 47.5 x 110.5) cm	(67 x 47.5 x 110.5) cm	(62 x 48.5 x 117) cm	(66 x 51 x 111.5) cm	(66 x 51 x 111.5) cm	(67.5 x 63.4 x 81.2) cm	(70 x 41.5 x 105) cm
	Product Size with Box (cm) L x W x H	(75.5 x 51.5 x 130.2) cm	(65.9 x 53.1 x 131.8) cm	(65.9 x 53.1 x 131.8) cm	(75.5 x 51.5 x 125.2) cm	(71.5 x 67.8 x 100.3) cm	(71.5 x 54 x 123) cm	(71.5 x 54 x 123) cm	(73 x 56.5 x 116) mm	(73 x 56.5 x 116) mm	(65.9 x 53 x 121.5) cm	(73.2 x 59.2 x 115) cm	(73.2 x 59.2 x 115) cm	(71.5 x 67.8 x 85) cm	(75 x 51.5 x 112) cm
	Product Net Weight (kg)	17 kg	15 kg	15 kg	16 kg	16 kg	22 kg	22 kg	16 kg	16 kg	16 kg	20 kg	20 kg	15.8 kg	16 kg

PERSONAL COOLERS							WINDOW COOLERS			TOWER COOLERS					
Fresco-i 32	Fresco 32	Celia-p	Kalt24	Tuono22	Tuono-i	Tuono	Brina Plus	Brina	Frostio	Zurii 55	Zurii 35	Zurii 25	Alitura-i 50	Alitura-i 30	Alitura 20
32 L	32 L	28 L	24 L	22 L	18 L	18 L	50 L	50 L	45 L	55 L	35 L	25 L	50 L	30 L	20 L
180 W	180 W	180 W	90 W	120 W	120 W	120 W	200 W	200 W	200 W	180 W	180 W	180 W	180 W	180 W	180 W
Blower	Blower	Blower	Fan	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower
203.2 mm	203.2 mm	203.2 mm	177 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	203.2 mm	194 mm	194 mm	194 mm
Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor	Aluminium Motor
220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V	220 V - 240 V
1500 m³/h	1500 m³/h	1200 m³/h	800 m³/h	1200 m³/h	1200 m³/h	1200 m³/h	2000 m³/h	2000 m³/h	1500 m³/h	1250 m³/h	1250 m³/h	1250 m³/h	1200 m³/h	1200 m³/h	1200 m³/h
50 m³	50 m³	43 m³	27 m³	43 m³	43 m³	43 m³	66 m³	66 m³	50 m³	44 m³	44 m³	44 m³	43 m³	43 m³	43 m³
16.3 m²	16.3 m²	12.2 m²	8.6 m²	12.2 m²	12.2 m²	12.2 m²	21.8 m²	21.8 m²	16.3 m²	12.7 m²	12.7 m²	12.7 m²	12.2 m²	12.2 m²	12.2 m²
Honeycomb	Honeycomb	Honeycomb	3 Side Honeycomb	Honeycomb	Honeycomb	Honeycomb	3 Side Wood Wool (With Mosquito net)	3 Side Wood Wool (With Mosquito net)	3 Side Wood Wool (With Mosquito net)	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes
No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Yes	Yes	No	No	No	No	No	Yes	No	No	No	No	No	No	No	No
4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way
Electronic Panel	3 Knob Panel	2 Knob Panel	2 Knob Panel	2 Knob Panel	Electronic Panel	2 Knob Panel	3 Knob Panel	3 Knob Panel	2 Knob Panel	Electronic Panel	Electronic Panel	Electronic Panel	Electronic Panel	Electronic Panel	2 Knob Panel
Yes	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Yes	Yes	No	No	No	No	No	Yes	No	No	No	No	No	No	No	No
Yes	Yes	Yes	No	No	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes
Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	No	No	No	No	Yes	No	No	No	Yes	No	No	No	Yes	Yes	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	No
No	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes
Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Castors w/o brakes	Yes	Castors w/o brakes	Castors w/o brakes	Castors w/o brakes	Castors w/o brakes with Trolley	Castors w/o brakes with Trolley	Castors w/o brakes with Trolley	Yes	Yes	Yes	Castors w/o Brake	Castors w/o Brake	Castors w/o Brake
Yes	No	No	No	No	Yes	No	No	No	No	No	No	No	Yes	Yes	No
3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin
(48.3 x 41 x 94) cm	(48.3 x 41 x 94) cm	(49.5 x 42.5 x 93) cm	(32.6 x 30 x 76.8) cm	(42 x 28 x 83) cm	(42 x 28 x 80) cm	(42 x 28 x 80) cm	(64.7 x 56.5 x 57) cm	(64.7 x 56.5 x 57) cm	(65.5 X 57 X 59) cm	(39.7 x 39.4 x 138.5) cm	(39.7 x 39.4 x 116.5) cm	(39.7 x 39.4 x 103.5) cm	(36.6 x 37.2 x 134.8) cm	(36.6 x 37.2 x 108) cm	(36.6 x 37.2 x 97) cm
(52.3 x 44.3 x 101.1) cm	(52.3 x 44.3 x 101.1) cm	(56.8 x 47.8 x 96.3) cm	(34.5 x 34.5 x 81) cm	(47.5 x 34 x 85) cm	(47.5 x 34 x 82.5) cm	(47.5 x 34 x 82.5) cm	(73.5 x 64 x 61) cm	(73.5 x 64 x 61) cm	(72 x 60 x 65) cm	(48 x 48 x 145.5) cm	(48 x 48 x 121) cm	(48 x 48 x 108) cm	(42 x 42 x 137) cm	(42 x 42 x 110) cm	(42 x 42 x 100.5) cm
12.5 kg	12.5 kg	11 kg	7 kg	7.1 kg	7 kg	7 kg	14.3 kg	14.1 kg	12.5 kg	17.5 kg	16.5 kg	16 kg	12.1 kg	11.2 kg	10.6 kg




Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence. Due to continuous technology upgradation the design & specifications may vary without notice. The colour of the product mentioned may differ from the actual product colour due to printing limitations or may not be available.



Havells India Ltd.
QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-333-4771000,
E-mail: marketing@havells.com



buy online**
at **shop.havells.com**
**Online shopping is applicable on select products.
Website : www.havells.com



All trademarks used herein are property of their respective owners. Any use of third party trademarks is for identification purposes only and does not imply endorsement.



Reach us on
WhatsApp **+91-9711773333**
for any service related query.

For CARE 360,
Call us at : 08045 77 1313
For dealers interested in opening
new Havells Galaxy Store,
please e-mail at: galaxy@havells.com