

**Panasonic**

**LED**

ADORN YOUR LIFE WITH  
**RIGHT LIGHT**



**LED LIGHTING**  
PRICE LIST | 2022



**PANASONIC LED**

**Illumination that  
inspires the best in you.**

Light inspires a wide range of emotions. Enriched by a century of experience and relevance, we have created lights that encompass the epic range of human feelings. Our technical expertise gives us an intuitive edge to understand your needs and make products accordingly. So here we are, with world - class LED products crafted with impeccable technical precision and unmatched style that inspire the best in you.

May this illumination inspire you, today and always.



## SAFETY



### Surge Protection

Panasonic LED's driver has a surge voltage resistance upto 2.5kV, which protects the luminaire against voltage spikes in electric circuits.



### Wide Voltage Range

Wide input voltage range, for LED Bulb: 80-400V, for LED fixtures: 100-300V.

Voltage fluctuations are common in most places in India, so Panasonic LEDs have a wide operating voltage range.



### Fire Resistance

Panasonic LEDs use a Class V2 or greater grade material, which does not catch fire. This ensures that the fire does not spread to the other electrical equipment during short circuits.

## COMFORT



### Low Glare

Glare can lead to discomfort. That's why Panasonic LEDs have a high quality diffuser and smart design for glareless lighting, making them best suited for the home.



Panasonic LED with uniform distribution

### Uniform Lighting

Panasonic LEDs have a uniform arrangement of LEDs and use a wide diffuser to ensure uniform lighting.



Other brands' LED with non-uniform distribution


# Safety, Comfort and

# LONG LIFE



## Consistent Light Output

With the UV-Stabilised Polycarbonate Diffuser, light output remains the same for a long time, which also prevents the diffuser from yellowing.



## Better Heat Dissipation

High quality housing and design leads to better heat management and maintains the initial brightness up to 50,000 burning hours.



Heat is drawn away from the light module towards the heat sink, where it dissipates from the fixture.

# Long Life for generations



| Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

## LED BULB

### KIGLO OMNI LED BULB



|           |       |    |          |      |             |     |    |       |
|-----------|-------|----|----------|------|-------------|-----|----|-------|
| 3W        | 3000K | NA | 5x9.4    | 270  | PBUM01033   | 130 | 50 | 6500  |
|           | 6500K | NA | 5x9.4    | 276  | PBUM01037   | 130 | 50 | 6500  |
| 5W        | 3000K | NA | 5.7x10.1 | 450  | PBUM01053   | 140 | 50 | 7000  |
|           | 6500K | NA | 5.7x10.1 | 500  | PBUM01057   | 140 | 50 | 7000  |
| 7W        | 3000K | NA | 5.7x10.1 | 630  | PBUM01073   | 150 | 50 | 7500  |
|           | 6500K | NA | 5.7x10.1 | 700  | PBUM01077   | 150 | 50 | 7500  |
| 9W        | 3000K | NA | 5.7x10.1 | 810  | PBUM01093   | 170 | 50 | 8500  |
|           | 6500K | NA | 5.7x10.1 | 900  | PBUM01097   | 170 | 50 | 8500  |
| 10.5W     | 6500K | NA | 5,6x10   | 1050 | PBUM01117   | 180 | 50 | 9000  |
| 12W       | 3000K | NA | 6x11     | 1080 | PBUM01123   | 260 | 50 | 13000 |
|           | 6500K | NA | 6x11     | 1104 | PBUM01127   | 260 | 50 | 13000 |
| 12W (A57) | 6500K | NA | 5.7x10.1 | 1200 | PBUM01127R2 | 220 | 50 | 11000 |
| 15W       | 3000K | NA | 6.5x12.2 | 1350 | PBUM01153   | 290 | 30 | 8700  |
|           | 6500K | NA | 6.5x12.2 | 1380 | PBUM01157   | 290 | 30 | 8700  |
| 18W       | 3000K | NA | 7.5x14   | 1656 | PBUM01183   | 360 | 30 | 10800 |
|           | 6500K | NA | 7.5x14   | 1800 | PBUM01187   | 360 | 30 | 10800 |
| 23W       | 3000K | NA | 8x15.4   | 2070 | PBUM01233   | 550 | 20 | 11000 |
|           | 6500K | NA | 8x15.4   | 2300 | PBUM01237   | 550 | 20 | 11000 |
| 26W       | 6500K | NA | 9x18.4   | 2600 | PBUM01267   | 575 | 20 | 11500 |

### KIGLO OMNI BULB : E27 HOLDER



|     |       |    |          |      |           |     |    |       |
|-----|-------|----|----------|------|-----------|-----|----|-------|
| 3W  | 3000K | NA | 5x9.4    | 270  | PBUM18033 | 130 | 50 | 6500  |
|     | 6500K | NA | 5x9.4    | 276  | PBUM18037 | 130 | 50 | 6500  |
| 5W  | 3000K | NA | 5.7x10.1 | 450  | PBUM18053 | 140 | 50 | 7000  |
|     | 6500K | NA | 5.7x10.1 | 500  | PBUM18057 | 140 | 50 | 7000  |
| 7W  | 3000K | NA | 5.7x10.1 | 630  | PBUM18073 | 150 | 50 | 7500  |
|     | 6500K | NA | 5.7x10.1 | 700  | PBUM18077 | 150 | 50 | 7500  |
| 9W  | 3000K | NA | 5.7x10.1 | 810  | PBUM18093 | 170 | 50 | 8500  |
|     | 6500K | NA | 5.7x10.1 | 900  | PBUM18097 | 170 | 50 | 8500  |
| 12W | 3000K | NA | 6x11     | 1080 | PBUM18123 | 260 | 50 | 13000 |
|     | 6500K | NA | 6x11     | 1200 | PBUM18127 | 260 | 50 | 13000 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

### KIGLO HYPER : HW BULB - ROCKET SHAPE



|           |       |    |           |      |             |      |    |       |
|-----------|-------|----|-----------|------|-------------|------|----|-------|
| 30W       | 3000K | NA | 10x15.6   | 2700 | PBUM04303R2 | 875  | 10 | 8750  |
|           | 6500K | NA | 10x15.6   | 3000 | PBUM04307R2 | 875  | 10 | 8750  |
| 40W       | 3000K | NA | 11.8x17.7 | 3600 | PBUM04403R2 | 1075 | 10 | 10750 |
|           | 6500K | NA | 11.8x17.7 | 4000 | PBUM04407R2 | 1075 | 10 | 10750 |
| 50W       | 3000K | NA | 13.8x20.5 | 4500 | PBUM04503R2 | 1275 | 10 | 12750 |
|           | 6500K | NA | 13.8x20.5 | 5000 | PBUM04507R2 | 1275 | 10 | 12750 |
| 40W - E27 | 3000K | NA | 10.5x23.3 | 4000 | PBUM05403R2 | 1075 | 10 | 10750 |
|           | 6500K | NA | 10.5x25.3 | 4000 | PBUM05407R2 | 1075 | 10 | 10750 |
| 50W - E27 | 3000K | NA | 10.5x23.3 | 5000 | PBUM05507R2 | 1275 | 10 | 12750 |
|           | 6500K | NA | 10.5x25.3 | 5000 | PBUM05503R2 | 1275 | 10 | 12750 |

### LED EMERGENCY BULB



|    |       |    |          |                              |           |     |    |      |
|----|-------|----|----------|------------------------------|-----------|-----|----|------|
| 9W | 6500K | NA | 7.5x13.9 | 900 (Main)/<br>350 (Battery) | PBUM13097 | 650 | 10 | 6500 |
|----|-------|----|----------|------------------------------|-----------|-----|----|------|

### LED RADAR BULB



|    |       |    |        |     |           |     |    |      |
|----|-------|----|--------|-----|-----------|-----|----|------|
| 9W | 6500K | NA | 6x11.6 | 900 | PBUM28097 | 700 | 10 | 7000 |
|----|-------|----|--------|-----|-----------|-----|----|------|

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

**LED RGB BULB**



|    |     |    |        |     |           |     |    |      |
|----|-----|----|--------|-----|-----------|-----|----|------|
| 7W | RGB | NA | 6x11.8 | 440 | PBUM11070 | 750 | 30 | 2250 |
|----|-----|----|--------|-----|-----------|-----|----|------|

**LED ALL ROUNDER BULB (3-IN-1 BULB - 1 LAMP = 3 BRIGHTNESS)**



|     |       |    |        |                               |           |     |    |      |
|-----|-------|----|--------|-------------------------------|-----------|-----|----|------|
| 14W | 6500K | NA | 7x13.5 | 1260(14W)<br>700(7W) / (0.5W) | PBUM19147 | 320 | 30 | 9600 |
|-----|-------|----|--------|-------------------------------|-----------|-----|----|------|

**LED 4-IN-1 BULB (1 LAMP = 3 COLOURS + 1 0.5W NIGHT LAMP)**



|     |                           |    |        |  |           |     |    |       |
|-----|---------------------------|----|--------|--|-----------|-----|----|-------|
| 12W | 6500K/<br>4000K/<br>3000K | NA | 7x13.5 | 1200 (6500K)<br>1140 (4000K)<br>1080 (3000k) | PBUM21127 | 340 | 30 | 10200 |
|-----|---------------------------|----|--------|--|-----------|-----|----|-------|

**SMART WIFI**



|    |    |    |          |     |           |      |    |       |
|----|----|----|----------|-----|-----------|------|----|-------|
| 9W | NA | NA | 6.5x11.6 | 720 | PBUM27090 | 1650 | 20 | 33000 |
|----|----|----|----------|-----|-----------|------|----|-------|



|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

### CANDLE LIGHT LAMP



|          |       |    |          |     |           |     |    |      |
|----------|-------|----|----------|-----|-----------|-----|----|------|
| 4W (B22) | 3000K | NA | 3.8x10.7 | 360 | PBUM39043 | 170 | 20 | 3400 |
|          | 6500K | NA | 3.8x10.7 | 400 | PBUM39047 | 170 | 20 | 3400 |
| 4W (E27) | 3000K | NA | 3.8x10.7 | 360 | PBUM38043 | 170 | 20 | 3400 |
|          | 6500K | NA | 3.8x10.7 | 400 | PBUM38047 | 170 | 20 | 3400 |
| 4W (E14) | 3000K | NA | 3.8x10.7 | 360 | PBUM15043 | 170 | 20 | 3400 |
|          | 6500K | NA | 3.8x10.7 | 400 | PBUM15047 | 170 | 20 | 3400 |

### CANDLE LIGHT LAMP CLEAR



|            |       |    |             |     |           |     |    |      |
|------------|-------|----|-------------|-----|-----------|-----|----|------|
| 2.7W (B22) | 3000K | NA | 3.65 X 10.1 | 243 | PBUM39033 | 135 | 30 | 4050 |
|            | 6500K | NA | 3.65 X 10.1 | 270 | PBUM39037 | 135 | 30 | 4050 |
| 2.7W (E27) | 3000K | NA | 3.65 X 10.1 | 243 | PBUM38033 | 135 | 30 | 4050 |
|            | 6500K | NA | 3.65 X 10.1 | 270 | PBUM38037 | 135 | 30 | 4050 |
| 2.7W (E14) | 3000K | NA | 3.65 X 10.1 | 243 | PBUM15033 | 135 | 30 | 4050 |
|            | 6500K | NA | 3.65 X 10.1 | 270 | PBUM15037 | 135 | 30 | 4050 |

### NIGHT LAMP



|      |        |    |       |    |         |    |    |      |
|------|--------|----|-------|----|---------|----|----|------|
| 0.5W | Blue   | NA | 4.5x7 | NA | 92853BU | 55 | 60 | 3300 |
|      | Green  | NA | 4.5x7 | NA | 92853GN | 55 | 60 | 3300 |
|      | Red    | NA | 4.5x7 | NA | 92853RD | 55 | 60 | 3300 |
|      | White  | NA | 4.5x7 | NA | 92853WH | 55 | 60 | 3300 |
|      | Yellow | NA | 4.5x7 | NA | 92853YW | 55 | 60 | 3300 |
|      | Orange | NA | 4.5x7 | NA | 92853OR | 55 | 60 | 3300 |
|      | Pink   | NA | 4.5x7 | NA | 92853PN | 55 | 60 | 3300 |

### RGB AUTO COLOR LED BULB



|      |     |    |       |    |           |    |    |      |
|------|-----|----|-------|----|-----------|----|----|------|
| 0.5W | RGB | NA | 4.5x7 | NA | PBUM16010 | 80 | 60 | 4800 |
|------|-----|----|-------|----|-----------|----|----|------|

| Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

## LED DECORATIVE LIGHT

### DECO SURFACE CEILING LIGHT



|     |       |    |        |      |           |      |   |      |
|-----|-------|----|--------|------|-----------|------|---|------|
| 22W | 3000K | NA | 30x7.8 | 1683 | PCLM02223 | 1250 | 6 | 7500 |
|     | 6500K | NA | 30x7.8 | 1870 | PCLM02227 | 1250 | 6 | 7500 |

### LED ROPE LIGHT - 45 METER




|      |       |    |              |         |           |      |   |      |
|------|-------|----|--------------|---------|-----------|------|---|------|
| 6W/m | 3000K | NA | 4500x1.2x0.6 | 270lm/m | PSLM12TU3 | 7000 | 1 | 7000 |
|      | 4000K | NA | 4500x1.2x0.6 | 270lm/m | PSLM12TU4 | 7000 | 1 | 7000 |
|      | 6500K | NA | 4500x1.2x0.6 | 300lm/m | PSLM12TU7 | 7000 | 1 | 7000 |
|      | Red   | NA | 4500x1.2x0.6 | NA      | PSLM12TUR | 7000 | 1 | 7000 |
|      | Green | NA | 4500x1.2x0.6 | NA      | PSLM12TUG | 7000 | 1 | 7000 |
|      | Blue  | NA | 4500x1.2x0.6 | NA      | PSLM12TUB | 7000 | 1 | 7000 |

### LED STRIP LIGHT IP20 - 60 LED/M



|      |       |    |             |         |           |      |    |       |
|------|-------|----|-------------|---------|-----------|------|----|-------|
| 25W  | 3000K | NA | 500x0.8x0.2 | 72 lm/W | PSLM06253 | 850  | 10 | 8500  |
|      | 4000K | NA | 500x0.8x0.2 | 76 lm/W | PSLM06254 | 850  | 10 | 8500  |
|      | 6500K | NA | 500x0.8x0.2 | 80 lm/W | PSLM06257 | 850  | 10 | 8500  |
|      | Red   | NA | 500x0.8x0.2 | NA      | PSLM0625R | 950  | 10 | 9500  |
|      | Green | NA | 500x0.8x0.2 | NA      | PSLM0625G | 950  | 10 | 9500  |
|      | Blue  | NA | 500x0.8x0.2 | NA      | PSLM0625B | 950  | 10 | 9500  |
| 50W* | RGB   | NA | 500x0.8x0.2 | NA      | PSLM06500 | 2000 | 10 | 20000 |

### LED STRIP LIGHT IP20 - NEW SERIES - 180 LED/M




|     |       |    |             |         |           |      |    |       |
|-----|-------|----|-------------|---------|-----------|------|----|-------|
| 90W | 3000K | NA | 500x0.8x0.2 | 72 lm/W | PSLM14903 | 1500 | 10 | 15000 |
|     | 4000K | NA | 500x0.8x0.2 | 76 lm/W | PSLM14904 | 1500 | 10 | 15000 |
|     | 6500K | NA | 500x0.8x0.2 | 80 lm/W | PSLM14907 | 1500 | 10 | 15000 |
|     | Red   | NA | 500x0.8x0.2 | NA      | PSLM1490R | 1500 | 10 | 15000 |
|     | Green | NA | 500x0.8x0.2 | NA      | PSLM1490G | 1500 | 10 | 15000 |
|     | Blue  | NA | 500x0.8x0.2 | NA      | PSLM1490B | 1500 | 10 | 15000 |

\* Remote is use only for 50W RGB

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### LED STRIP LIGHT IP65 - 60 LED/M


|  |     |       |    |           |         |           |      |    |       |
|--|-----|-------|----|-----------|---------|-----------|------|----|-------|
|  | 25W | 3000K | NA | 500x1x0.4 | 72 lm/W | PSLM07253 | 1250 | 10 | 12500 |
|  |     | 4000K | NA | 500x1x0.4 | 76 lm/W | PSLM07254 | 1250 | 10 | 12500 |
|  |     | 6500K | NA | 500x1x0.4 | 80 lm/W | PSLM07257 | 1250 | 10 | 12500 |
|  |     | Red   | NA | 500x1x0.4 | NA      | PSLM0725R | 1350 | 10 | 13500 |
|  |     | Green | NA | 500x1x0.4 | NA      | PSLM0725G | 1350 | 10 | 13500 |
|  |     | Blue  | NA | 500x1x0.4 | NA      | PSLM0725B | 1350 | 10 | 13500 |

### STRIP LIGHT DRIVER

|        |    |    |                |    |           |     |    |      |
|--------|----|----|----------------|----|-----------|-----|----|------|
| 12V 2A | NA | NA | 10.4x3.55x3.15 | NA | PSL0S2401 | 400 | 10 | 4000 |
| 24V 3A | NA | NA | 15x4x3         | NA | PSL0S7201 | 850 | 10 | 8500 |

## LED PANEL LIGHT

### GNITOS MODAN : STEP PANEL LIGHT CIRCULAR

|  |     |       |       |           |      |           |      |    |       |
|--|-----|-------|-------|-----------|------|-----------|------|----|-------|
|  | 3W  | 3000K | Ø7.5  | Ø8.5x2.5  | 135  | PPAM11033 | 600  | 10 | 6000  |
|  |     | 4000K | Ø7.5  | Ø8.5x2.5  | 150  | PPAM11034 | 600  | 10 | 6000  |
|  |     | 6500K | Ø7.5  | Ø8.5x2.5  | 150  | PPAM11037 | 600  | 10 | 6000  |
|  | 5W  | 3000K | Ø10.8 | Ø12x2.5   | 260  | PPAM11053 | 700  | 10 | 7000  |
|  |     | 4000K | Ø10.8 | Ø12x2.5   | 270  | PPAM11054 | 700  | 10 | 7000  |
|  |     | 6500K | Ø10.8 | Ø12x2.5   | 275  | PPAM11057 | 700  | 10 | 7000  |
|  | 10W | 3000K | Ø13.2 | Ø14.5x2.5 | 670  | PPAM11103 | 900  | 10 | 9000  |
|  |     | 4000K | Ø13.2 | Ø14.5x2.5 | 700  | PPAM11104 | 900  | 10 | 9000  |
|  |     | 6500K | Ø13.2 | Ø14.5x2.5 | 700  | PPAM11107 | 900  | 10 | 9000  |
|  | 15W | 3000K | Ø15.6 | Ø17x2.5   | 1000 | PPAM11153 | 1000 | 10 | 10000 |
|  |     | 4000K | Ø15.6 | Ø17x2.5   | 1050 | PPAM11154 | 1000 | 10 | 10000 |
|  |     | 6500K | Ø15.6 | Ø17x2.5   | 1050 | PPAM11157 | 1000 | 10 | 10000 |
|  | 20W | 3000K | Ø17.7 | Ø19x2.5   | 1340 | PPAM11203 | 1200 | 10 | 12000 |
|  |     | 4000K | Ø17.7 | Ø19x2.5   | 1400 | PPAM11204 | 1200 | 10 | 12000 |
|  |     | 6500K | Ø17.7 | Ø19x2.5   | 1400 | PPAM11207 | 1200 | 10 | 12000 |
|  | 24W | 3000K | Ø20.4 | Ø22x2.5   | 1584 | PPAM11243 | 1600 | 10 | 16000 |
|  |     | 4000K | Ø20.4 | Ø22x2.5   | 1632 | PPAM11244 | 1600 | 10 | 16000 |
|  |     | 6000K | Ø20.4 | Ø22x2.5   | 1680 | PPAM11246 | 1600 | 10 | 16000 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### IGNITOS MODAN : STEP PANEL LIGHT SQAURE



|  |     |       |           |               |      |           |      |    |       |
|--|-----|-------|-----------|---------------|------|-----------|------|----|-------|
|  | 3W  | 3000K | 7.5x7.5   | 8.5x8.5x2.5   | 135  | PPAM12033 | 600  | 10 | 6000  |
|  |     | 4000K | 7.5x7.5   | 8.5x8.5x2.5   | 150  | PPAM12034 | 600  | 10 | 6000  |
|  |     | 6500K | 7.5x7.5   | 8.5x8.5x2.5   | 150  | PPAM12037 | 600  | 10 | 6000  |
|  | 5W  | 3000K | 10.8x10.8 | 12x12x2.5     | 260  | PPAM12053 | 700  | 10 | 7000  |
|  |     | 4000K | 10.8x10.8 | 12x12x2.5     | 270  | PPAM12054 | 700  | 10 | 7000  |
|  |     | 6500K | 10.8x10.8 | 12x12x2.5     | 275  | PPAM12057 | 700  | 10 | 7000  |
|  | 10W | 3000K | 13.2x13.2 | 14.5x14.5x2.5 | 670  | PPAM12103 | 900  | 10 | 9000  |
|  |     | 4000K | 13.2x13.2 | 14.5x14.5x2.5 | 700  | PPAM12104 | 900  | 10 | 9000  |
|  |     | 6500K | 13.2x13.2 | 14.5x14.5x2.5 | 700  | PPAM12107 | 900  | 10 | 9000  |
|  | 15W | 3000K | 15.6x15.6 | 17x17x2.5     | 1000 | PPAM12153 | 1000 | 10 | 10000 |
|  |     | 4000K | 15.6x15.6 | 17x17x2.5     | 1050 | PPAM12154 | 1000 | 10 | 10000 |
|  |     | 6500K | 15.6x15.6 | 17x17x2.5     | 1050 | PPAM12156 | 1000 | 10 | 10000 |
|  | 20W | 3000K | 17.7x17.7 | 19x19x2.5     | 1340 | PPAM12203 | 1200 | 10 | 12000 |
|  |     | 4000K | 17.7x17.7 | 19x19x2.5     | 1400 | PPAM12204 | 1200 | 10 | 12000 |
|  |     | 6500K | 17.7x17.7 | 19x19x2.5     | 1400 | PPAM12206 | 1200 | 10 | 12000 |
|  | 24W | 3000K | 20.4x20.4 | 22x22x2.5     | 1584 | PPAM12243 | 1600 | 10 | 16000 |
|  |     | 4000K | 20.4x20.4 | 22x22x2.5     | 1632 | PPAM12244 | 1600 | 10 | 16000 |
|  |     | 6500K | 20.4x20.4 | 22x22x2.5     | 1680 | PPAM12246 | 1600 | 10 | 16000 |

### ADJUSTABLE PANEL LIGHT - CIRCULAR



|  |     |       |           |           |      |           |      |    |       |
|--|-----|-------|-----------|-----------|------|-----------|------|----|-------|
|  | 12W | 3000K | Ø6.2-9.6  | Ø14.8x3.2 | 756  | PPAM20123 | 985  | 10 | 9850  |
|  |     | 4000K | Ø6.2-9.6  | Ø14.8x3.2 | 798  | PPAM20124 | 985  | 10 | 9850  |
|  |     | 6000K | Ø6.2-9.6  | Ø14.8x3.2 | 840  | PPAM20127 | 985  | 10 | 9850  |
|  | 18W | 3000K | Ø6.2-14.7 | Ø20x3.2   | 1134 | PPAM20183 | 1285 | 10 | 12850 |
|  |     | 4000K | Ø6.2-14.7 | Ø20x3.2   | 1197 | PPAM20184 | 1285 | 10 | 12850 |
|  |     | 6000K | Ø6.2-14.7 | Ø20x3.2   | 1260 | PPAM20187 | 1285 | 10 | 12850 |


### ADJUSTABLE PANEL LIGHT SQAURE




|  |     |       |          |               |      |           |      |    |       |
|--|-----|-------|----------|---------------|------|-----------|------|----|-------|
|  | 12W | 3000K | 6.2-9.6  | 14.8x11.9x3.2 | 756  | PPAM21123 | 985  | 10 | 9850  |
|  |     | 4000K | 6.2-9.6  | 14.8x11.9x3.2 | 798  | PPAM21124 | 985  | 10 | 9850  |
|  |     | 6000K | 6.2-9.6  | 14.8x11.9x3.2 | 840  | PPAM21127 | 985  | 10 | 9850  |
|  | 18W | 3000K | 6.2-14.7 | 20x17x3.2     | 1134 | PPAM21183 | 1285 | 10 | 12850 |
|  |     | 4000K | 6.2-14.7 | 20x17x3.2     | 1197 | PPAM21184 | 1285 | 10 | 12850 |
|  |     | 6000K | 6.2-14.7 | 20x17x3.2     | 1260 | PPAM21187 | 1285 | 10 | 12850 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### LED PC PANEL LIGHT WITH INTEGRATED DRIVER - CIRCULAR


|  |     |       |       |         |      |           |     |    |       |
|--|-----|-------|-------|---------|------|-----------|-----|----|-------|
|  | 3W  | 3000K | Ø6.8  | Ø8.6x3  | 180  | PPAM22033 | 300 | 20 | 6000  |
|  |     | 4000K | Ø6.8  | Ø8.6x3  | 186  | PPAM22034 | 300 | 20 | 6000  |
|  |     | 6500K | Ø6.8  | Ø8.6x3  | 240  | PPAM22037 | 300 | 20 | 6000  |
|  | 6W  | 3000K | Ø9.7  | Ø12x3   | 370  | PPAM22063 | 400 | 20 | 8000  |
|  |     | 4000K | Ø9.7  | Ø12x3   | 390  | PPAM22064 | 400 | 20 | 8000  |
|  |     | 6500K | Ø9.7  | Ø12x3   | 510  | PPAM22067 | 400 | 20 | 8000  |
|  | 10W | 3000K | Ø12.9 | Ø14.4x3 | 700  | PPAM22103 | 600 | 20 | 12000 |
|  |     | 4000K | Ø12.9 | Ø14.4x3 | 720  | PPAM22104 | 600 | 20 | 12000 |
|  |     | 6500K | Ø12.9 | Ø14.4x3 | 850  | PPAM22107 | 600 | 20 | 12000 |
|  | 15W | 3000K | Ø14.5 | Ø17x 3  | 1050 | PPAM22153 | 700 | 10 | 7000  |
|  |     | 4000K | Ø14.5 | Ø17x 3  | 1080 | PPAM22154 | 700 | 10 | 7000  |
|  |     | 6500K | Ø14.5 | Ø17x 3  | 1350 | PPAM22157 | 700 | 10 | 7000  |
|  | 20W | 3000K | Ø19.5 | Ø22x3   | 1400 | PPAM22203 | 900 | 10 | 9000  |
|  |     | 4000K | Ø19.5 | Ø22x3   | 1440 | PPAM22204 | 900 | 10 | 9000  |
|  |     | 6500K | Ø19.5 | Ø22x3   | 1800 | PPAM22207 | 900 | 10 | 9000  |

### LED PC PANEL LIGHT WITH INTEGRATED DRIVER - SQAURE


|  |     |       |           |             |      |           |     |    |       |
|--|-----|-------|-----------|-------------|------|-----------|-----|----|-------|
|  | 3W  | 3000K | 6.8x6.8   | 8.6x8.6x3   | 180  | PPAM23033 | 300 | 20 | 6000  |
|  |     | 4000K | 6.8x6.8   | 8.6x8.6x3   | 186  | PPAM23034 | 300 | 20 | 6000  |
|  |     | 6500K | 6.8x6.8   | 8.6x8.6x3   | 240  | PPAM23037 | 300 | 20 | 6000  |
|  | 6W  | 3000K | 9.7x9.7   | 12x12x3     | 370  | PPAM23063 | 400 | 20 | 8000  |
|  |     | 4000K | 9.7x9.7   | 12x12x3     | 390  | PPAM23064 | 400 | 20 | 8000  |
|  |     | 6500K | 9.7x9.7   | 12x12x3     | 510  | PPAM23067 | 400 | 20 | 8000  |
|  | 10W | 3000K | 12.9x12.9 | 14.4x14.4x3 | 700  | PPAM23103 | 600 | 20 | 12000 |
|  |     | 4000K | 12.9x12.9 | 14.4x14.4x3 | 720  | PPAM23104 | 600 | 20 | 12000 |
|  |     | 6500K | 12.9x12.9 | 14.4x14.4x3 | 850  | PPAM23107 | 600 | 20 | 12000 |
|  | 15W | 3000K | 14.5x14.5 | 17x17x3     | 1050 | PPAM23153 | 700 | 10 | 7000  |
|  |     | 4000K | 14.5x14.5 | 17x17x3     | 1080 | PPAM23154 | 700 | 10 | 7000  |
|  |     | 6500K | 14.5x14.5 | 17x17x3     | 1350 | PPAM23157 | 700 | 10 | 7000  |
|  | 20W | 3000K | 19.5x19.5 | 22x22x3     | 1400 | PPAM23203 | 900 | 10 | 9000  |
|  |     | 4000K | 19.5x19.5 | 22x22x3     | 1440 | PPAM23204 | 900 | 10 | 9000  |
|  |     | 6500K | 19.5x19.5 | 22x22x3     | 1800 | PPAM23207 | 900 | 10 | 9000  |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

**LED PC PANEL LIGHT WITH NON-INTEGRATED DRIVER - CIRCULAR**

|   |     |       |       |         |      |             |      |    |       |
|---|-----|-------|-------|---------|------|-------------|------|----|-------|
|  | 3W  | 3000K | Ø6.8  | Ø8.6x2  | 180  | PPAM24033R1 | 400  | 20 | 8000  |
|   |     | 4000K | Ø6.8  | Ø8.6x2  | 186  | PPAM24034R1 | 400  | 20 | 8000  |
|   |     | 6500K | Ø6.8  | Ø8.6x2  | 240  | PPAM24037R1 | 400  | 20 | 8000  |
|   | 6W  | 3000K | Ø9.7  | Ø12x2   | 370  | PPAM24063R1 | 500  | 20 | 10000 |
|   |     | 4000K | Ø9.7  | Ø12x2   | 390  | PPAM24064R1 | 500  | 20 | 10000 |
|   |     | 6500K | Ø9.7  | Ø12x2   | 510  | PPAM24067R1 | 500  | 20 | 10000 |
|   | 10W | 3000K | Ø12.9 | Ø14.4x2 | 700  | PPAM24103R1 | 650  | 20 | 13000 |
|   |     | 4000K | Ø12.9 | Ø14.4x2 | 720  | PPAM24104R1 | 650  | 20 | 13000 |
|   |     | 6500K | Ø12.9 | Ø14.4x2 | 850  | PPAM24107R1 | 650  | 20 | 13000 |
|   | 15W | 3000K | Ø14.5 | Ø17x2   | 1050 | PPAM24153R1 | 800  | 10 | 8000  |
|   |     | 4000K | Ø14.5 | Ø17x2   | 1080 | PPAM24154R1 | 800  | 10 | 8000  |
|   |     | 6500K | Ø14.5 | Ø17x2   | 1350 | PPAM24157R1 | 800  | 10 | 8000  |
|   | 20W | 3000K | Ø19.5 | Ø22x2   | 1400 | PPAM24203R1 | 1050 | 10 | 10500 |
|   |     | 4000K | Ø19.5 | Ø22x2   | 1440 | PPAM24204R1 | 1050 | 10 | 10500 |
|   |     | 6500K | Ø19.5 | Ø22x2   | 1800 | PPAM24207R1 | 1050 | 10 | 10500 |

**LED PC PANEL LIGHT WITH NON-INTEGRATED DRIVER - SQAURE**

|   |     |       |           |             |      |             |      |    |       |
|---|-----|-------|-----------|-------------|------|-------------|------|----|-------|
|  | 3W  | 3000K | 6.8x6.8   | 8.6x8.6x2   | 180  | PPAM25033R1 | 400  | 20 | 8000  |
|   |     | 4000K | 6.8x6.8   | 8.6x8.6x2   | 186  | PPAM25034R1 | 400  | 20 | 8000  |
|   |     | 6500K | 6.8x6.8   | 8.6x8.6x2   | 240  | PPAM25037R1 | 400  | 20 | 8000  |
|   | 6W  | 3000K | 9.7x9.7   | 12x12x2     | 370  | PPAM25063R1 | 500  | 20 | 10000 |
|   |     | 4000K | 9.7x9.7   | 12x12x2     | 390  | PPAM25064R1 | 500  | 20 | 10000 |
|   |     | 6500K | 9.7x9.7   | 12x12x2     | 510  | PPAM25067R1 | 500  | 20 | 10000 |
|   | 10W | 3000K | 12.9x12.9 | 14.4x14.4x2 | 700  | PPAM25103R1 | 650  | 20 | 13000 |
|   |     | 4000K | 12.9x12.9 | 14.4x14.4x2 | 720  | PPAM25104R1 | 650  | 20 | 13000 |
|   |     | 6500K | 12.9x12.9 | 14.4x14.4x2 | 850  | PPAM25107R1 | 650  | 20 | 13000 |
|   | 15W | 3000K | 14.5x14.5 | 17x17x2     | 1050 | PPAM25153R1 | 800  | 10 | 8000  |
|   |     | 4000K | 14.5x14.5 | 17x17x2     | 1080 | PPAM25154R1 | 800  | 10 | 8000  |
|   |     | 6500K | 14.5x14.5 | 17x17x2     | 1350 | PPAM25157R1 | 800  | 10 | 8000  |
|   | 20W | 3000K | 19.5x19.5 | 22x22x2     | 1400 | PPAM25203R1 | 1050 | 10 | 10500 |
|   |     | 4000K | 19.5x19.5 | 22x22x2     | 1440 | PPAM25204R1 | 1050 | 10 | 10500 |
|   |     | 6500K | 19.5x19.5 | 22x22x2     | 1800 | PPAM25207R1 | 1050 | 10 | 10500 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### LED RIMLESS SURFACE PANEL - CIRCULAR



|     |       |    |           |      |             |      |    |       |
|-----|-------|----|-----------|------|-------------|------|----|-------|
| 6W  | 3000K | NA | Ø10x3.1   | 540  | PPAM16063R1 | 550  | 20 | 11000 |
|     | 4000K | NA | Ø10x3.1   | 570  | PPAM16064R1 | 550  | 20 | 11000 |
|     | 6500K | NA | Ø10x3.1   | 600  | PPAM16067R1 | 550  | 20 | 11000 |
| 12W | 3000K | NA | Ø12.5x3.1 | 1080 | PPAM16123R1 | 850  | 20 | 17000 |
|     | 4000K | NA | Ø12.5x3.1 | 1140 | PPAM16124R1 | 850  | 20 | 17000 |
|     | 6500K | NA | Ø12.5x3.1 | 1200 | PPAM16127R1 | 850  | 20 | 17000 |
| 18W | 3000K | NA | Ø15x3.1   | 1620 | PPAM16183R1 | 1150 | 20 | 23000 |
|     | 4000K | NA | Ø15x3.1   | 1710 | PPAM16184R1 | 1150 | 20 | 23000 |
|     | 6500K | NA | Ø15x3.1   | 1800 | PPAM16187R1 | 1150 | 20 | 23000 |
| 24W | 3000K | NA | Ø20x3.1   | 2160 | PPAM16243R1 | 1550 | 20 | 31000 |
|     | 4000K | NA | Ø20x3.1   | 2280 | PPAM16244R1 | 1550 | 20 | 31000 |
|     | 6500K | NA | Ø20x3.1   | 2400 | PPAM16247R1 | 1550 | 20 | 31000 |

### LED RIMLESS SURFACE PANEL - SQAURE



|     |       |    |               |      |             |      |    |       |
|-----|-------|----|---------------|------|-------------|------|----|-------|
| 6W  | 3000K | NA | 10x10x3.1     | 540  | PPAM17063R1 | 550  | 20 | 11000 |
|     | 4000K | NA | 10x10x3.1     | 570  | PPAM17064R1 | 550  | 20 | 11000 |
|     | 6500K | NA | 10x10x3.1     | 600  | PPAM17067R1 | 550  | 20 | 11000 |
| 12W | 3000K | NA | 12.5x12.5x3.1 | 1080 | PPAM17123R1 | 850  | 20 | 17000 |
|     | 4000K | NA | 12.5x12.5x3.1 | 1140 | PPAM17124R1 | 850  | 20 | 17000 |
|     | 6500K | NA | 12.5x12.5x3.1 | 1200 | PPAM17127R1 | 850  | 20 | 17000 |
| 18W | 3000K | NA | 15x15x3.1     | 1620 | PPAM17183R1 | 1150 | 20 | 23000 |
|     | 4000K | NA | 15x15x3.1     | 1710 | PPAM17184R1 | 1150 | 20 | 23000 |
|     | 6500K | NA | 15x15x3.1     | 1800 | PPAM17187R1 | 1150 | 20 | 23000 |
| 24W | 3000K | NA | 20x20x3.1     | 2160 | PPAM17243R1 | 1550 | 20 | 31000 |
|     | 4000K | NA | 20x20x3.1     | 2280 | PPAM17244R1 | 1550 | 20 | 31000 |
|     | 6500K | NA | 20x20x3.1     | 2400 | PPAM17247R1 | 1550 | 20 | 31000 |

### LED BASE LIGHT



|     |       |           |             |      |           |      |   |       |
|-----|-------|-----------|-------------|------|-----------|------|---|-------|
| 36W | 3000K | 56.5x56.5 | 59.5x59.5x3 | 2916 | PBLM13363 | 3300 | 4 | 13200 |
|     | 4000K | 56.5x56.5 | 59.5x59.5x3 | 3078 | PBLM13364 | 3300 | 4 | 13200 |
|     | 6500K | 56.5x56.5 | 59.5x59.5x3 | 3240 | PBLM13367 | 3300 | 4 | 13200 |



|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

**PC FRAME - CIRCULAR**



|     |    |    |         |    |           |     |    |      |
|-----|----|----|---------|----|-----------|-----|----|------|
| 5W  | NA | NA | Ø12x3.5 | NA | PFMM01050 | 100 | 10 | 1000 |
| 10W | NA | NA | Ø17x3.5 | NA | PFMM01100 | 125 | 10 | 1250 |
| 20W | NA | NA | Ø22x3.5 | NA | PFMM01200 | 200 | 10 | 2000 |

**PC FRAME - SQUARE**



|     |    |    |           |    |           |     |    |      |
|-----|----|----|-----------|----|-----------|-----|----|------|
| 5W  | NA | NA | 12x12x3.5 | NA | PFMM02050 | 100 | 10 | 1000 |
| 10W | NA | NA | 17x17x3.5 | NA | PFMM02100 | 125 | 10 | 1250 |
| 20W | NA | NA | 22x22x3.5 | NA | PFMM02200 | 200 | 10 | 2000 |

**LED SPOT LIGHT**



|    |       |      |           |     |             |     |    |      |
|----|-------|------|-----------|-----|-------------|-----|----|------|
| 2W | 3000K | Ø3.5 | Ø4.2x1.85 | 108 | PSPM01023R1 | 180 | 50 | 9000 |
|    | 6500K | Ø3.5 | Ø4.2x1.85 | 120 | PSPM01027R1 | 180 | 50 | 9000 |
|    | Red   | Ø3.5 | Ø4.2x1.85 | NA  | PSPM0102RR1 | 180 | 50 | 9000 |
|    | Green | Ø3.5 | Ø4.2x1.85 | NA  | PSPM0102GR1 | 180 | 50 | 9000 |
|    | Blue  | Ø3.5 | Ø4.2x1.85 | NA  | PSPM0102BR1 | 180 | 50 | 9000 |
|    | Pink  | Ø3.5 | Ø4.2x1.85 | NA  | PSPM0102PR1 | 180 | 50 | 9000 |



| Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>(Diameter/Length) x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

## LED DOWNLIGHT

### LUMOR ANORA : DOWN LIGHT CIRCULAR






|     |       |       |           |      |                           |     |    |      |
|-----|-------|-------|-----------|------|---------------------------|-----|----|------|
| 5W  | 3000K | Ø10   | Ø11.6x3.6 | 380  | PDLM01053R1 / PDLM01053R2 | 400 | 10 | 4000 |
|     | 4000K | Ø10   | Ø11.6x3.6 | 392  | PDLM01054R1 / PDLM01054R2 | 400 | 10 | 4000 |
|     | 6500K | Ø10   | Ø11.6x3.6 | 400  | PDLM01057R1 / PDLM01057R2 | 400 | 10 | 4000 |
| 10W | 3000K | Ø10   | Ø11.6x3.6 | 770  | PDLM01103R1 / PDLM01103R2 | 500 | 10 | 5000 |
|     | 4000K | Ø10   | Ø11.6x3.6 | 805  | PDLM01104R1 / PDLM01104R2 | 500 | 10 | 5000 |
|     | 6500K | Ø10   | Ø11.6x3.6 | 850  | PDLM01107R1 / PDLM01107R2 | 500 | 10 | 5000 |
| 15W | 3000K | Ø15   | Ø16.6x3.6 | 1350 | PDLM01153R1 / PDLM01153R2 | 650 | 10 | 6500 |
|     | 4000K | Ø15   | Ø16.6x3.6 | 1425 | PDLM01154R1 / PDLM01154R2 | 650 | 10 | 6500 |
|     | 6500K | Ø15   | Ø16.6x3.6 | 1500 | PDLM01157R1 / PDLM01157R2 | 650 | 10 | 6500 |
| 20W | 3000K | Ø20.5 | Ø22x3.6   | 1800 | PDLM01203R1 / PDLM01203R2 | 850 | 10 | 8500 |
|     | 4000K | Ø20.5 | Ø22x3.6   | 1900 | PDLM01204R1 / PDLM01204R2 | 850 | 10 | 8500 |
|     | 6500K | Ø20.5 | Ø22x3.6   | 2000 | PDLM01207R1 / PDLM01207R2 | 850 | 10 | 8500 |

### LUMOR ANORA : DOWN LIGHT SQUARE



|     |       |           |               |      |                           |     |    |      |
|-----|-------|-----------|---------------|------|---------------------------|-----|----|------|
| 5W  | 3000K | 10x10     | 11.6x11.6x3.6 | 380  | PDLM02053R1 / PDLM02053R2 | 400 | 10 | 4000 |
|     | 4000K | 10x10     | 11.6x11.6x3.6 | 392  | PDLM02054R1 / PDLM02054R2 | 400 | 10 | 4000 |
|     | 6500K | 10x10     | 11.6x11.6x3.6 | 400  | PDLM02057R1 / PDLM02057R2 | 400 | 10 | 4000 |
| 10W | 3000K | 10x10     | 11.6x11.6x3.6 | 770  | PDLM02103R1 / PDLM02103R2 | 500 | 10 | 5000 |
|     | 4000K | 10x10     | 11.6x11.6x3.6 | 805  | PDLM02104R1 / PDLM02104R2 | 500 | 10 | 5000 |
|     | 6500K | 10x10     | 11.6x11.6x3.6 | 850  | PDLM02107R1 / PDLM02107R2 | 500 | 10 | 5000 |
| 15W | 3000K | 15x15     | 16.6x16.6x3.6 | 1350 | PDLM02153R1 / PDLM02153R2 | 650 | 10 | 6500 |
|     | 4000K | 15x15     | 16.6x16.6x3.6 | 1425 | PDLM02154R1 / PDLM02154R2 | 650 | 10 | 6500 |
|     | 6500K | 15x15     | 16.6x16.6x3.6 | 1500 | PDLM02157R1 / PDLM02157R2 | 650 | 10 | 6500 |
| 20W | 3000K | 20.5x20.5 | 22x22x3.6     | 1800 | PDLM02203R1 / PDLM02203R2 | 850 | 10 | 8500 |
|     | 4000K | 20.5x20.5 | 22x22x3.6     | 1900 | PDLM02204R1 / PDLM02204R2 | 850 | 10 | 8500 |
|     | 6500K | 20.5x20.5 | 22x22x3.6     | 2000 | PDLM02207R1 / PDLM02207R2 | 850 | 10 | 8500 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm) Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
| <b>CONCEAL BOX DOWN LIGHT</b>  |         |                               |                        |  |              |              |                                  |                                       |  |
|   | 5W      | 3000K                         | Ø7.5                   | Ø11x5.5                                  | 360          | PDLM15053    | 400                              | 20                                    | 8000   |
|  |         | 4000K                         | Ø7.5                   | Ø11x5.5                                  | 380          | PDLM15054    | 400                              | 20                                    | 8000   |
|  |         | 6500K                         | Ø7.5                   | Ø11x5.5                                  | 400          | PDLM15057    | 400                              | 20                                    | 8000   |
|  |         | Red                           | Ø7.5                   | Ø11x5.5                                  | NA           | PDLM1505R    | 400                              | 20                                    | 8000   |
|  |         | Green                         | Ø7.5                   | Ø11x5.5                                  | NA           | PDLM1505G    | 400                              | 20                                    | 8000   |
|  |         | Blue                          | Ø7.5                   | Ø11x5.5                                  | NA           | PDLM1505B    | 400                              | 20                                    | 8000   |
|  | 7W      | 3000K                         | Ø8.5                   | Ø10.5x6                                  | 505          | PDLM15073    | 425                              | 20                                    | 8500   |
|  |         | 6500K                         | Ø8.5                   | Ø10.5x6                                  | 560          | PDLM15077    | 425                              | 20                                    | 8500   |
|  |         | Red                           | Ø8.5                   | Ø10.5x6                                  | NA           | PDLM1507R    | 425                              | 20                                    | 8500   |
|  |         | Green                         | Ø8.5                   | Ø10.5x6                                  | NA           | PDLM1507G    | 425                              | 20                                    | 8500   |
|  |         | Blue                          | Ø8.5                   | Ø10.5x6                                  | NA           | PDLM1507B    | 425                              | 20                                    | 8500   |
|  |         | 9W                            | 3000K                  | Ø8.5                                     | Ø10.5x6      | 650          | PDLM15093                        | 450                                   | 20   |
|  | 6500K   |                               | Ø8.5                   | Ø10.5x6                                  | 720          | PDLM15097    | 450                              | 20                                    | 9000   |
|  | Red     |                               | Ø8.5                   | Ø10.5x6                                  | NA           | PDLM1509R    | 450                              | 20                                    | 9000   |
|  | Green   |                               | Ø8.5                   | Ø10.5x6                                  | NA           | PDLM1509G    | 450                              | 20                                    | 9000   |
| Blue   | Ø8.5    |                               | Ø10.5x6                | NA                                       | PDLM1509B    | 450          | 20                               | 9000                                  |  |
| <b>TRI COLOUR CONCEAL BOX DOWN LIGHT</b>   |         |                               |                        |  |              |              |                                  |                                       |  |
|   | 5W      | Red+Blue+Violet               | Ø7.5                   | Ø11x5.5                                  | NA           | PDLM1505RBU  | 450                              | 20                                    | 9000   |
|  |         | 6500K+Red+Pink                | Ø7.5                   | Ø11x5.5                                  | NA           | PDLM15057RD  | 450                              | 20                                    | 9000   |
|  |         |                               |                        |  |              |              |                                  |                                       |  |
| <b>JUNCTION BOX</b>  |         |                               |                        |  |              |              |                                  |                                       |  |
|  | 3W      | 3000K                         | Ø4.6                   | Ø8x3.3                                   | 210          | PDLM16033R1  | 265                              | 50                                    | 13250  |
|  |         | 6500K                         | Ø4.6                   | Ø8x3.3                                   | 225          | PDLM16037R1  | 265                              | 50                                    | 13250  |
|  |         | Red                           | Ø4.6                   | Ø8x3.3                                   | NA           | PDLM1703RR1  | 265                              | 50                                    | 13250  |
|  |         | Green                         | Ø4.6                   | Ø8x3.3                                   | NA           | PDLM1703GR1  | 265                              | 50                                    | 13250  |
|  |         | Blue                          | Ø4.6                   | Ø8x3.3                                   | NA           | PDLM1703BR1  | 265                              | 50                                    | 13250  |
|  |         | Pink                          | Ø4.6                   | Ø8x3.3                                   | NA           | PDLM1703PR1  | 265                              | 50                                    | 13250  |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm) Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### JUNCTION BOX- DUAL COLOR



|    |         |    |          |    |             |     |    |      |
|----|---------|----|----------|----|-------------|-----|----|------|
| 7W | CW+WW   | Ø5 | Ø8.4x4.6 | NA | PDLM17077WW | 450 | 20 | 9000 |
|    | CW+Blue | Ø5 | Ø8.4x4.6 | NA | PDLM17077BU | 450 | 20 | 9000 |

### DEEP JUNCTION BOX



|     |       |    |          |      |           |     |    |       |
|-----|-------|----|----------|------|-----------|-----|----|-------|
| 8W  | 3000K | Ø5 | Ø8.4x6.6 | 720  | PDLM16083 | 400 | 20 | 8000  |
|     | 6500K | Ø5 | Ø8.4x6.6 | 800  | PDLM16087 | 400 | 20 | 8000  |
|     | Red   | Ø5 | Ø8.4x6.6 | NA   | PDLM1608R | 400 | 20 | 8000  |
|     | Green | Ø5 | Ø8.4x6.6 | NA   | PDLM1608G | 400 | 20 | 8000  |
|     | Blue  | Ø5 | Ø8.4x6.6 | NA   | PDLM1608B | 400 | 20 | 8000  |
|     | Pink  | Ø5 | Ø8.4x6.6 | NA   | PDLM1608P | 400 | 20 | 8000  |
| 12W | 3000K | Ø5 | Ø14x6.8  | 1080 | PDLM16123 | 600 | 20 | 12000 |
|     | 6500K | Ø5 | Ø14x6.8  | 1200 | PDLM16127 | 600 | 20 | 12000 |
|     | Red   | Ø5 | Ø14x6.8  | NA   | PDLM1612R | 600 | 20 | 12000 |
|     | Green | Ø5 | Ø14x6.8  | NA   | PDLM1612G | 600 | 20 | 12000 |
|     | Blue  | Ø5 | Ø14x6.8  | NA   | PDLM1612B | 600 | 20 | 12000 |
|     | Pink  | Ø5 | Ø14x6.8  | NA   | PDLM1612P | 600 | 20 | 12000 |
| 15W | 3000K | Ø5 | Ø14x6.8  | 1350 | PDLM16153 | 650 | 20 | 13000 |
|     | 6500K | Ø5 | Ø14x6.8  | 1500 | PDLM16157 | 650 | 20 | 13000 |
|     | Red   | Ø5 | Ø14x6.8  | NA   | PDLM1615R | 650 | 20 | 13000 |
|     | Green | Ø5 | Ø14x6.8  | NA   | PDLM1615G | 650 | 20 | 13000 |
|     | Blue  | Ø5 | Ø14x6.8  | NA   | PDLM1615B | 650 | 20 | 13000 |
|     | Pink  | Ø5 | Ø14x6.8  | NA   | PDLM1615P | 650 | 20 | 13000 |


### SWIVEL DOWN LIGHT




|    |       |    |           |     |           |     |    |       |
|----|-------|----|-----------|-----|-----------|-----|----|-------|
| 3W | 3000K | Ø7 | Ø9.5x4.2  | 195 | PDLM29033 | 475 | 30 | 14250 |
|    | 6500K | Ø7 | Ø9.5x4.2  | 210 | PDLM29037 | 475 | 30 | 14250 |
| 6W | 3000K | Ø9 | Ø11.6x5.1 | 390 | PDLM29063 | 675 | 30 | 20250 |
|    | 6500K | Ø9 | Ø11.6x5.1 | 420 | PDLM29067 | 675 | 30 | 20250 |




|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm) Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|

### ALUMINUM SWIVEL COB DOWN LIGHT

|   |     |       |       |           |      |           |      |    |       |
|---|-----|-------|-------|-----------|------|-----------|------|----|-------|
|  | 3W  | 3000K | Ø5.5  | Ø6.3x4.3  | 240  | PDLM33033 | 700  | 20 | 14000 |
|   |     | 4000K | Ø5.5  | Ø6.3x4.3  | 255  | PDLM33034 | 700  | 20 | 14000 |
|   |     | 6500K | Ø5.5  | Ø6.3x4.3  | 270  | PDLM33037 | 700  | 20 | 14000 |
|   | 7W  | 3000K | Ø7    | Ø8.7x5.6  | 560  | PDLM33073 | 900  | 20 | 18000 |
|   |     | 4000K | Ø7    | Ø8.7x5.6  | 595  | PDLM33074 | 900  | 20 | 18000 |
|   |     | 6500K | Ø7    | Ø8.7x5.6  | 630  | PDLM33077 | 900  | 20 | 18000 |
|   | 12W | 3000K | Ø8.5  | Ø10x7.1   | 960  | PDLM33123 | 1200 | 10 | 12000 |
|   |     | 4000K | Ø8.5  | Ø10x7.1   | 1020 | PDLM33124 | 1200 | 10 | 12000 |
|   |     | 6500K | Ø8.5  | Ø10x7.1   | 1080 | PDLM33127 | 1200 | 10 | 12000 |
|   | 15W | 3000K | Ø8.5  | Ø10x7.1   | 1200 | PDLM33153 | 1400 | 10 | 14000 |
|   |     | 4000K | Ø8.5  | Ø10x7.1   | 1275 | PDLM33154 | 1400 | 10 | 14000 |
|   |     | 6500K | Ø8.5  | Ø10x7.1   | 1350 | PDLM33157 | 1400 | 10 | 14000 |
|   | 18W | 3000K | Ø9.5  | Ø11.5x7.2 | 1440 | PDLM33183 | 1600 | 10 | 16000 |
|   |     | 4000K | Ø9.5  | Ø11.5x7.2 | 1530 | PDLM33184 | 1600 | 10 | 16000 |
|   |     | 6500K | Ø9.5  | Ø11.5x7.2 | 1620 | PDLM33187 | 1600 | 10 | 16000 |
|   | 24W | 3000K | Ø12.5 | Ø13.5x8.5 | 1920 | PDLM33243 | 1900 | 10 | 19000 |
|   |     | 4000K | Ø12.5 | Ø13.5x8.5 | 2040 | PDLM33244 | 1900 | 10 | 19000 |
|   |     | 6500K | Ø12.5 | Ø13.5x8.5 | 2160 | PDLM33247 | 1900 | 10 | 19000 |

### MINI SURFACE DOWN LIGHT (CABINET LIGHT)


|   |    |       |    |           |     |             |     |    |      |
|---|----|-------|----|-----------|-----|-------------|-----|----|------|
|  | 3W | 3000K | NA | Ø6.8x1.35 | 150 | PDLM28033   | 199 | 50 | 9950 |
|   |    | 6500K | NA | Ø6.8x1.35 | 165 | PDLM28037   | 199 | 50 | 9950 |
|   |    | Red   | NA | Ø6.8x1.35 | NA  | PDLM2803R   | 199 | 50 | 9950 |
|   |    | Green | NA | Ø6.8x1.35 | NA  | PDLM2803G   | 199 | 50 | 9950 |
|   | 3W | Blue  | NA | Ø6.8x1.35 | NA  | PDLM2803B   | 199 | 50 | 9950 |
|   |    | 3000K | NA | Ø6x1.65   | 150 | PDLM28033R1 | 199 | 50 | 9950 |
|   |    | 6500K | NA | Ø6x1.65   | 165 | PDLM28037R1 | 199 | 50 | 9950 |
|   |    | Red   | NA | Ø6x1.65   | NA  | PDLM2803RR1 | 199 | 50 | 9950 |
|   |    | Green | NA | Ø6x1.65   | NA  | PDLM2803GR1 | 199 | 50 | 9950 |
|   |    | Blue  | NA | Ø6x1.65   | NA  | PDLM2803BR1 | 199 | 50 | 9950 |
|   |    | Pink  | NA | Ø6x1.65   | NA  | PDLM2803PR1 | 199 | 50 | 9950 |

|   | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm) Diameter x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---|---------|-------------------------------|------------------------|--|--------------|--------------|----------------------------------|---------------------------------------|--|
| <b>MINI SURFACE DOWN LIGHT</b>  |         |                               |                        |  |              |              |                                  |                                       |  |
|  | 5W      | 3000K                         | NA                     | Ø6.1x1.6                                 | 405          | PDLM28053    | 250                              | 40                                    | 10000  |
|   |         | 6500K                         | NA                     | Ø6.1x1.6                                 | 450          | PDLM28057    | 250                              | 40                                    | 10000  |
|   |         | Red                           | NA                     | Ø6.1x1.6                                 | NA           | PDLM2805R    | 250                              | 40                                    | 10000  |
|   |         | Green                         | NA                     | Ø6.1x1.6                                 | NA           | PDLM2805G    | 250                              | 40                                    | 10000  |
|   |         | Blue                          | NA                     | Ø6.1x1.6                                 | NA           | PDLM2805B    | 250                              | 40                                    | 10000  |
| <b>MADULAR SURFACE DOWN LIGHT (NEW SHAPE)</b>                                     |         |                               |                        |  |              |              |                                  |                                       |  |
|  | 7W      | 3000K                         | NA                     | Ø8.4x5.2                                 | 630          | PDLM32073    | 500                              | 20                                    | 10000  |
|   |         | 6500K                         | NA                     | Ø8.4x5.2                                 | 700          | PDLM32077    | 500                              | 20                                    | 10000  |
|   |         | Red                           | NA                     | Ø8.4x5.2                                 | NA           | PDLM3207R    | 500                              | 20                                    | 10000  |
|   |         | Green                         | NA                     | Ø8.4x5.2                                 | NA           | PDLM3207G    | 500                              | 20                                    | 10000  |
|   |         | Blue                          | NA                     | Ø8.4x5.2                                 | NA           | PDLM3207B    | 500                              | 20                                    | 10000  |
| <b>MINI SURFACE DOWN LIGHT</b>  |         |                               |                        |  |              |              |                                  |                                       |  |
|  | 7W      | 3000K                         | NA                     | Ø8.5x4.8                                 | 630          | PDLM22073    | 650                              | 10                                    | 6500   |
|   |         | 4000K                         | NA                     | Ø8.5x4.8                                 | 665          | PDLM22074    | 650                              | 10                                    | 6500   |
|   |         | 6500K                         | NA                     | Ø8.5x4.8                                 | 700          | PDLM22077    | 650                              | 10                                    | 6500   |
|   | 9W      | 3000K                         | NA                     | Ø11x4.8                                  | 810          | PDLM22093    | 750                              | 10                                    | 7500   |
|   |         | 4000K                         | NA                     | Ø11x4.8                                  | 855          | PDLM22094    | 750                              | 10                                    | 7500   |
|   |         | 6500K                         | NA                     | Ø11x4.8                                  | 900          | PDLM22097    | 750                              | 10                                    | 7500   |
|   |         | Red                           | NA                     | Ø11x4.8                                  | NA           | PDLM2209R    | 750                              | 10                                    | 7500   |
|   |         | Green                         | NA                     | Ø11x4.8                                  | NA           | PDLM2209G    | 750                              | 10                                    | 7500   |
|   |         | Blue                          | NA                     | Ø11x4.8                                  | NA           | PDLM2209B    | 750                              | 10                                    | 7500   |
|   | 15W     | Pink                          | NA                     | Ø11x4.8                                  | NA           | PDLM2209P    | 750                              | 10                                    | 7500   |
|   |         | 3000K                         | NA                     | Ø13.5x4.8                                | 1350         | PDLM22153    | 950                              | 10                                    | 9500   |
|   |         | 4000K                         | NA                     | Ø13.5x4.8                                | 1425         | PDLM22154    | 950                              | 10                                    | 9500   |
|   |         | 6500K                         | NA                     | Ø13.5x4.8                                | 1500         | PDLM22157    | 950                              | 10                                    | 9500   |

| Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|


## LED BATTEN

### ALTABRIGHT : BATTEN LIGHT




|     |       |    |             |      |           |     |    |       |
|-----|-------|----|-------------|------|-----------|-----|----|-------|
| 5W  | 3000K | NA | 29x2.2x3.4  | 450  | PBTM01053 | 280 | 10 | 2800  |
|     | 4000K | NA | 29x2.2x3.4  | 475  | PBTM01054 | 280 | 10 | 2800  |
|     | 6500K | NA | 29x2.2x3.4  | 500  | PBTM01057 | 280 | 10 | 2800  |
| 10W | 3000K | NA | 59x2.2x3.4  | 900  | PBTM01103 | 375 | 10 | 3750  |
|     | 4000K | NA | 59x2.2x3.4  | 950  | PBTM01104 | 375 | 10 | 3750  |
|     | 6500K | NA | 59x2.2x3.4  | 1000 | PBTM01107 | 375 | 10 | 3750  |
| 15W | 3000K | NA | 115x2.5x3.5 | 1350 | PBTM01153 | 465 | 10 | 4650  |
|     | 4000K | NA | 115x2.5x3.5 | 1425 | PBTM01154 | 465 | 10 | 4650  |
|     | 6500K | NA | 115x2.5x3.5 | 1500 | PBTM01157 | 465 | 10 | 4650  |
| 20W | 3000K | NA | 115x2.5x3.5 | 1800 | PBTM01203 | 560 | 20 | 11200 |
|     | 4000K | NA | 115x2.5x3.5 | 1900 | PBTM01204 | 560 | 20 | 11200 |
|     | 6500K | NA | 115x2.5x3.5 | 2000 | PBTM01207 | 560 | 20 | 11200 |

### ALTABRIGHT : SQUARE BATTEN LIGHT



|     |       |    |             |      |           |     |    |       |
|-----|-------|----|-------------|------|-----------|-----|----|-------|
| 5W  | 3000K | NA | 28x2.3x3.7  | 460  | PBTM02053 | 280 | 10 | 2800  |
|     | 4000K | NA | 28x2.3x3.7  | 475  | PBTM02054 | 280 | 10 | 2800  |
|     | 6500K | NA | 28x2.3x3.7  | 500  | PBTM02057 | 280 | 10 | 2800  |
| 10W | 3000K | NA | 58x2.3x3.7  | 920  | PBTM02103 | 375 | 10 | 3750  |
|     | 4000K | NA | 58x2.3x3.7  | 950  | PBTM02104 | 375 | 10 | 3750  |
|     | 6500K | NA | 58x2.3x3.7  | 1000 | PBTM02107 | 375 | 10 | 3750  |
| 15W | 3000K | NA | 114x2.3x3.7 | 1380 | PBTM02153 | 465 | 10 | 4650  |
|     | 4000K | NA | 114x2.3x3.7 | 1425 | PBTM02154 | 465 | 10 | 4650  |
|     | 6500K | NA | 114x2.3x3.7 | 1500 | PBTM02157 | 465 | 10 | 4650  |
| 20W | 3000K | NA | 114x2.3x3.7 | 1800 | PBTM02203 | 560 | 20 | 11200 |
|     | 4000K | NA | 114x2.3x3.7 | 1900 | PBTM02204 | 560 | 20 | 11200 |
|     | 6500K | NA | 114x2.3x3.7 | 2000 | PBTM02207 | 560 | 20 | 11200 |


### ALTABRIGHT : OVAL BATTEN LIGHT




|     |       |    |             |      |           |     |    |       |
|-----|-------|----|-------------|------|-----------|-----|----|-------|
| 24W | 3000K | NA | 115x2.5x3.5 | 2160 | PBTM06243 | 630 | 20 | 12600 |
|     | 4000K | NA | 115x2.5x3.5 | 2400 | PBTM06244 | 630 | 20 | 12600 |
|     | 6500K | NA | 115x2.5x3.5 | 2640 | PBTM06247 | 630 | 20 | 12600 |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|


#### ALTABRIGHT : CURVY BATTEN LIGHT

|   |     |       |    |                |      |           |     |    |      |
|---|-----|-------|----|----------------|------|-----------|-----|----|------|
|  | 22W | 3000K | NA | 113.9x3.2x3.65 | 1980 | PBTM13223 | 550 | 10 | 5500 |
|   |     | 6500K | NA | 113.9x3.2x3.65 | 2200 | PBTM13227 | 550 | 10 | 5500 |
|   | 26W | 3000K | NA | 113.9x3.2x3.65 | 2340 | PBTM14263 | 750 | 10 | 7500 |
|   |     | 6500K | NA | 113.9x3.2x3.65 | 2600 | PBTM14267 | 750 | 10 | 7500 |


#### ALTABRIGHT : ALUMINIUM BATTEN LIGHT

|   |     |       |    |             |      |           |     |    |      |
|---|-----|-------|----|-------------|------|-----------|-----|----|------|
|  | 20W | 3000K | NA | 56x2.18x3.8 | 1800 | PBTM18203 | 450 | 20 | 9000 |
|   |     | 6500K | NA | 56x2.18x3.8 | 2000 | PBTM18207 | 450 | 20 | 9000 |


#### ALTABRIGHT : HW ALUMINIUM BATTEN LIGHT

|  |     |       |    |             |      |           |      |    |       |
|--|-----|-------|----|-------------|------|-----------|------|----|-------|
|  | 36W | 6500K | NA | 117.5x3x3.6 | 3600 | PBTM08367 | 1225 | 20 | 24500 |
|--|-----|-------|----|-------------|------|-----------|------|----|-------|

#### ALTABRIGHT : NIGHT GLOW BATTEN LIGHT

|   |        |       |    |                 |      |           |     |    |      |
|---|--------|-------|----|-----------------|------|-----------|-----|----|------|
|  | 22W+2W | 6500K | NA | 119.1x3.21x3.66 | 2200 | PBTM14227 | 875 | 10 | 8750 |
|---|--------|-------|----|-----------------|------|-----------|-----|----|------|

#### RGB BATTEN

|   |     |       |    |             |    |           |     |    |       |
|---|-----|-------|----|-------------|----|-----------|-----|----|-------|
|  | 20W | Red   | NA | 114x2.3x3.7 | NA | PBTM0220R | 575 | 20 | 11500 |
|   |     | Green | NA | 114x2.3x3.7 | NA | PBTM0220G | 575 | 20 | 11500 |
|   |     | Blue  | NA | 114x2.3x3.7 | NA | PBTM0220B | 575 | 20 | 11500 |




|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

### LED RADAR BATTEN



|     |       |    |             |      |           |     |    |       |
|-----|-------|----|-------------|------|-----------|-----|----|-------|
| 20W | 6500K | NA | 114x2.4x3.8 | 2000 | PBTM21207 | 900 | 20 | 18000 |
|-----|-------|----|-------------|------|-----------|-----|----|-------|

### LED SLEEK PC BATTEN



|     |       |    |             |      |           |     |    |       |
|-----|-------|----|-------------|------|-----------|-----|----|-------|
| 20W | 6500K | NA | 120x2.2x2.2 | 2000 | PBTM22207 | 499 | 25 | 12475 |
|-----|-------|----|-------------|------|-----------|-----|----|-------|

## LED STREET LIGHT

### LED STREET LIGHT



|     |       |    |               |      |           |      |    |       |
|-----|-------|----|---------------|------|-----------|------|----|-------|
| 15W | 6500K | NA | 28.4x11.5x5.5 | 1500 | PSTM23157 | 1900 | 10 | 19000 |
| 25W | 6500K | NA | 28.4x11.5x5.5 | 2500 | PSTM23257 | 2100 | 10 | 21000 |
| 45W | 6500K | NA | 35.3x13.7x5.5 | 4500 | PSTM23457 | 2750 | 10 | 27500 |

### LED STREET LIGHT HW



|     |       |    |               |      |           |      |   |       |
|-----|-------|----|---------------|------|-----------|------|---|-------|
| 60W | 6500K | NA | 47.8x17.8x6.4 | 6000 | PSTM23607 | 5850 | 4 | 23400 |
| 75W | 6500K | NA | 47.8x17.8x6.4 | 7500 | PSTM23757 | 6350 | 4 | 25400 |



|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

### LED STREET LIGHT



|     |                     |       |           |           |           |           |      |       |       |
|-----|---------------------|-------|-----------|-----------|-----------|-----------|------|-------|-------|
|     | 15W                 | 6500K | NA        | 27x8x6.6  | 1500      | PSTM01157 | 2120 | 10    | 21200 |
|     | 25W                 | 6000K | NA        | 33x8x7    | 2500      | PSTM01257 | 3045 | 10    | 30450 |
|     | 45W                 | 6000K | NA        | 33x8x7    | 4500      | PSTM01457 | 4710 | 10    | 47100 |
|     | <b>HIGH WATTAGE</b> |       |           |           |           |           |      |       |       |
|     | 60W                 | 6500K | NA        | 41x12.1x8 | 6000      | PSTM01607 | 6800 | 4     | 27200 |
| 75W | 6500K               | NA    | 41x12.1x8 | 7500      | PSTM01757 | 8500      | 4    | 34000 |       |

### LED FLOOD LIGHT



|  |      |       |    |               |       |           |      |    |       |
|--|------|-------|----|---------------|-------|-----------|------|----|-------|
|  | 10W  | 3000K | NA | 12.5x11x3.6   | 900   | PFLM17103 | 950  | 10 | 9500  |
|  |      | 6500K | NA | 12.5x11x3.6   | 1000  | PFLM17107 | 950  | 10 | 9500  |
|  | 20W  | 3000K | NA | 14.5x12.5x4   | 1800  | PFLM17203 | 1400 | 10 | 14000 |
|  |      | 6500K | NA | 14.5x12.5x4   | 2000  | PFLM17207 | 1400 | 10 | 14000 |
|  | 30W  | 3000K | NA | 19.5x16.5x4.6 | 2700  | PFLM17303 | 2000 | 10 | 20000 |
|  |      | 6500K | NA | 19.5x16.5x4.6 | 3000  | PFLM17307 | 2000 | 10 | 20000 |
|  | 50W  | 3000K | NA | 23x19.5 x5.8  | 4500  | PFLM17503 | 2500 | 5  | 12500 |
|  |      | 6500K | NA | 23x19.5 x5.8  | 5000  | PFLM17507 | 2500 | 5  | 12500 |
|  | 100W | 3000K | NA | 25x19.5x6     | 9000  | PFLM17AB3 | 4400 | 2  | 8800  |
|  |      | 6500K | NA | 25x19.5x6     | 10000 | PFLM17AB7 | 4400 | 2  | 8800  |

### LED FLOOD LIGHT



|  |      |       |    |               |       |           |      |    |       |
|--|------|-------|----|---------------|-------|-----------|------|----|-------|
|  | 20W  | 3000K | NA | 14.5x11.5x4.2 | 1800  | PFLM21203 | 1400 | 10 | 14000 |
|  |      | 6500K | NA | 14.5x11.5x4.2 | 2000  | PFLM21207 | 1400 | 10 | 14000 |
|  | 30W  | 3000K | NA | 22.5x15.9x4.1 | 2700  | PFLM21303 | 2000 | 5  | 10000 |
|  |      | 6500K | NA | 22.5x15.9x4.1 | 3000  | PFLM21307 | 2000 | 5  | 10000 |
|  | 50W  | 3000K | NA | 22.5x15.9x4.1 | 4500  | PFLM21503 | 2500 | 5  | 12500 |
|  |      | 6500K | NA | 22.5x15.9x4.1 | 5000  | PFLM21507 | 2500 | 5  | 12500 |
|  | 100W | 3000K | NA | 33.2x28.9x5.3 | 9000  | PFLM21AB3 | 4400 | 2  | 8800  |
|  |      | 6500K | NA | 33.2x28.9x5.3 | 10000 | PFLM21AB7 | 4400 | 2  | 8800  |

|  | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
|--|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|

### BULK HEAD



|     |       |    |             |      |           |     |    |      |
|-----|-------|----|-------------|------|-----------|-----|----|------|
| 12W | 3000K | NA | 23.3x10.7x5 | 972  | PBHM02123 | 900 | 10 | 9000 |
|     | 6500K | NA | 23.3x10.7x5 | 1080 | PBHM02127 | 900 | 10 | 9000 |

## LED PORTABLE LIGHT

### DESK LAMP



Rechargeable  
battery




|    |                       |    |              |                   |             |      |   |       |
|----|-----------------------|----|--------------|-------------------|-------------|------|---|-------|
| 5W | 3000K/<br>4000K/5000K | NA | 7.2x5.7x26.5 | 150<br>(Dimmable) | PDEM03050WH | 3000 | 5 | 15000 |
|----|-----------------------|----|--------------|-------------------|-------------|------|---|-------|

### DESK LAMP

Rechargeable  
battery



|    |       |    |           |                   |             |      |   |       |
|----|-------|----|-----------|-------------------|-------------|------|---|-------|
| 5W | 4000K | NA | 9x10.8x40 | 150<br>(Dimmable) | PDEM01054R1 | 2400 | 5 | 12000 |
|----|-------|----|-----------|-------------------|-------------|------|---|-------|

|   | Wattage | Correlated Colour Temperature | Cut Out Dimension (cm) | Product Dimension (cm)<br>Length x Width x Height | Lumen Output | Product Code | Unit Sale Price (Rs.) per Number | Standard Packaging Quantity in Number | Maximum Retail Price (Rs.) of Standard Packaging |
|---|---------|-------------------------------|------------------------|---|--------------|--------------|----------------------------------|---------------------------------------|--|
| <b>TORCH LIGHT (PRECEDENT MAX)</b>  |         |                               |                        |   |              |              |                                  |                                       |  |
|  | 1W      | —                             | NA                     | 6.5x21.5  | 13500        | PTLM03017RD  | 400                              | 20                                    | 8000   |
|   |         | —                             | NA                     | 6.5x21.5  | 13500        | PTLM03017BK  | 400                              | 20                                    | 8000   |
| <b>TORCH LIGHT (PRECEDENT MINI)</b>   |         |                               |                        |   |              |              |                                  |                                       |  |
|  | 1W      | —                             | NA                     | 5.5x20.5  | 8000         | PTLM02017YL  | 250                              | 20                                    | 5000   |
|   |         | —                             | NA                     | 5.5x20.5  | 8000         | PTLM02017BK  | 250                              | 20                                    | 5000   |
| <b>TORCH LIGHT (PRECEDENT MICRO)</b>  |         |                               |                        |   |              |              |                                  |                                       |  |
|  | 0.5W    | —                             | NA                     | 3.5x13.8  | 1800         | PTLM01017RD  | 170                              | 30                                    | 5100   |
|   |         | —                             | NA                     | 3.5x13.8  | 1800         | PTLM01017BK  | 170                              | 30                                    | 5100   |

**TERMS AND CONDITIONS:**

- All prices are subject to general terms and conditions of our business
- MRP prices are inclusive of local taxes / VAT and excise duty at the prevailing rates. Prices are subject to change without prior notice
- This price list supersedes all our previous price lists. If any dispute should arise, it will be subject to Mumbai jurisdiction
- Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some respects from the details provided herein. Current details should therefore be checked with the company.

## Panasonic Life Solutions India Pvt. Ltd.

3rd Floor, B Wing, I-Think Techno Campus,  
Pokharan Road No. 2, Thane (W), Thane - 400 607, Maharashtra.  
T: (9122) 42228888 | Whatsapp no. : 9136028606  
F: (9122) 42228884  
Customer Care no. : 022-41304130  
Email: [info@in.panasonic.com](mailto:info@in.panasonic.com)  
[www.lsin.panasonic.com](http://www.lsin.panasonic.com)

# Panasonic

All Rights Reserved © 2015 COPYRIGHT Panasonic Life Solutions India Pvt. Ltd.  
Specifications are subject to change without notice  
Printed in India

The duplication and transfer of images from this catalogue without permission is strictly prohibited.